## **Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application. In particular, claims 1, 9, 12 and 17 have been amended. Claims 8 and 18 have been cancelled without prejudice.

## **Listing of Claims:**

Claim 1 (currently amended): A handheld electronic device configured for thumb-typing by a user, the handheld electronic device comprising:

- a) a display; and,
- b) a keyboard comprising a first group of keys, a second group of keys, and a spacebar key vertically disposed in between the first and second group of keys, wherein the first and second group of keys are arranged into a plurality of rows, each of the plurality of rows making an angle generally between 30 and 50 degrees with respect to a longitudinal midline of the device.

Claim 2 (original): The handheld electronic device of claim 1, wherein each group of keys comprises a first row of keys, a second row of keys and a third row of keys, the first row of keys being disposed above the second row of keys and the second row of keys being disposed above the third row of keys, the first row of keys making a first angle with respect to the longitudinal midline, the second row of keys making a second angle with respect to the longitudinal midline and the third row of keys making a third angle with respect to the longitudinal midline, wherein the first, second and third angles are substantially similar.

Claim 3 (original): The handheld electronic device of claim 1, wherein each group of keys comprises a first row of keys, a second row of keys and a third row of keys, the first row of keys being disposed above the second row of keys and the second row of keys being disposed above the third row of keys, the first row of keys making a first angle with respect to the longitudinal midline, the second row of keys making a second

angle with respect to the longitudinal midline and the third row of keys making a third

angle with respect to the longitudinal midline, wherein the third angle is larger than the

second angle and the second angle is larger than the first angle.

Claim 4 (original): The handheld electronic device of claim 3, wherein the first angle is

chosen to be between about 30 and 40 degrees.

Claim 5 (original): The handheld electronic device of claim 3, wherein the second angle

is chosen to be between about 34 and 44 degrees.

Claim 6 (original): The handheld electronic device of claim 3, wherein the third angle is

chosen to be between about 40 and 50 degrees.

Claim 7 (original): The handheld electronic device of claim 1, wherein each of the keys

in each row follow a convex line of curvature with respect to the bottom of the handheld

electronic device.

Claim 8 (canceled)

Claim 9 (currently amended): The handheld electronic device of claim [[8]]1, wherein the

spacebar key is contoured to mate with adjacent keys in the first and second group of

keys.

Claim 10 (original): The handheld electronic device of claim 1, wherein the device

further comprises a navigation pad disposed in between the first and second group of

keys.

Claim 11 (original): The handheld electronic device of claim 1, wherein the keys in the

first and second group of keys are diamond shaped.

3

Appl. No. 10/786,000

Amdt. dated June 12, 2006

Reply to Office action of March 14, 2006

Claim 12 (currently amended): A keyboard for use with a handheld electronic device,

the keyboard comprising:

a first group of keys;

a second group of keys; and

at least one of:

a spacebar key vertically disposed in between the first and second group of keys,

the spacebar key being contoured to mate with adjacent keys in the first and second

group of keys; and

a navigation pad disposed in between the first and second group of keys.

wherein the first and second group of keys are arranged into a plurality of rows, each of

the plurality of rows making an angle generally between 30 and 50 degrees with respect

to a longitudinal midline of the device.

Claim 13 (original): The keyboard of claim 12, wherein each group of keys comprises a

first row of keys, a second row of keys and a third row of keys, the first row of keys

being disposed above the second row of keys and the second row of keys being

disposed above the third row of keys, the first row of keys making a first angle with

respect to the longitudinal midline, the second row of keys making a second angle with

respect to the longitudinal midline and the third row of keys making a third angle with

respect to the longitudinal midline, wherein the third angle is larger than the second

angle and the second angle is larger than the first angle.

Claim 14 (original): The keyboard of claim 13, wherein the first angle is chosen to be

between about 30 and 40 degrees.

Claim 15 (original): The keyboard of claim 13, wherein the second angle is chosen to be

between about 34 and 44 degrees.

Claim 16 (original): The keyboard of claim 13, wherein the third angle is chosen to be

between about 40 and 50 degrees.

4

Appl. No. 10/786,000 Amdt. dated June 12, 2006

Reply to Office action of March 14, 2006

Claim 17 (currently amended): The keyboard of claim 12, wherein each of the keys in each row follow a convex line of curvature with respect to the bottom of the handheld electronic device.

Claim 18 (canceled)

Claim 19 (original): The keyboard of claim 12, wherein the keys in the first and second group of keys are diamond shaped.

Claim 20 (original): The keyboard of claim 12, wherein keys representing letters in the keyboard are laid out according to one of a QWERTY layout, an AZERTY layout and a QWERTZ layout.